§ 96.260

representative demonstrating to the satisfaction of the Administrator good cause as to why the account should not be closed.

[70 FR 25362, May 12, 2005, as amended at 71 FR 25389, Apr. 28, 2006]

Subpart GGG—CAIR SO₂ Allowance Transfers

Source: 70 FR 25362, May 12, 2005, unless otherwise noted.

§ 96.260 Submission of CAIR SO₂ allowance transfers.

- (a) A CAIR authorized account representative seeking recordation of a CAIR SO₂ allowance transfer shall submit the transfer to the Administrator. To be considered correctly submitted, the CAIR SO₂ allowance transfer shall include the following elements, in a format specified by the Administrator:
- (1) The account numbers of both the transferor and transferee accounts;
- (2) The serial number of each CAIR SO_2 allowance that is in the transferor account and is to be transferred; and
- (3) The name and signature of the CAIR authorized account representatives of the transferor and transferee accounts and the dates signed.
- (b)(1) The CAIR authorized account representative for the transferee account can meet the requirements in paragraph (a)(3) of this section by submitting, in a format prescribed by the Administrator, a statement signed by the CAIR authorized account representative and identifying each account into which any transfer of allowances, submitted on or after the date on which the Administrator receives such statement, is authorized. Such authorization shall be binding on any CAIR authorized account representative for such account and shall apply to all transfers into the account that are submitted on or after such date of receipt, unless and until the Administrator receives a statement signed by the CAIR authorized account representative retracting the authorization for the account.
- (2) The statement under paragraph (b)(1) of this section shall include the following: "By this signature I authorize any transfer of allowances into each

account listed herein, except that I do not waive any remedies under State or Federal law to obtain correction of any erroneous transfers into such accounts. This authorization shall be binding on any CAIR authorized account representative for such account unless and until a statement signed by the CAIR authorized account representative retracting this authorization for the account is received by the Administrator."

§ 96.261 EPA recordation.

- (a) Within 5 business days (except as necessary to perform a transfer in perpetuity of CAIR SO_2 allowances allocated to a CAIR SO_2 unit or as provided in paragraph (b) of this section) of receiving a CAIR SO_2 allowance transfer, the Administrator will record a CAIR SO_2 allowance transfer by moving each CAIR SO_2 allowance from the transferor account to the transferee account as specified by the request, provided that:
- (1) The transfer is correctly submitted under §96.260;
- (2) The transferor account includes each CAIR SO₂ allowance identified by serial number in the transfer; and
- (3) The transfer is in accordance with the limitation on transfer under §74.42 of this chapter and §74.47(c) of this chapter, as applicable.
- (b) A CAIR SO₂ allowance transfer that is submitted for recordation after the allowance transfer deadline for a control period and that includes any CAIR SO₂ allowances allocated for any control period before such allowance transfer deadline will not be recorded until after the Administrator completes the deductions under §96.254 for the control period immediately before such allowance transfer deadline.
- (c) Where a CAIR SO_2 allowance transfer submitted for recordation fails to meet the requirements of paragraph (a) of this section, the Administrator will not record such transfer.

[70 FR 25362, May 12, 2005, as amended at 71 FR 25389, Apr. 28, 2006]

§ 96.262 Notification.

(a) Notification of recordation. Within 5 business days of recordation of a CAIR SO_2 allowance transfer under $\S 96.261$, the Administrator will notify

the CAIR authorized account representatives of both the transferor and transferee accounts.

- (b) Notification of non-recordation. Within 10 business days of receipt of a CAIR SO₂ allowance transfer that fails to meet the requirements of §96.261(a), the Administrator will notify the CAIR authorized account representatives of both accounts subject to the transfer of:
- (1) A decision not to record the transfer, and
- (2) The reasons for such non-recordation.
- (c) Nothing in this section shall preclude the submission of a CAIR SO₂ allowance transfer for recordation following notification of non-recordation.

Subpart HHH—Monitoring and Reporting

SOURCE: 70 FR 25362, May 12, 2005, unless otherwise noted.

§ 96.270 General requirements.

The owners and operators, and to the extent applicable, the CAIR designated representative, of a CAIR SO2 unit, shall comply with the monitoring, recordkeeping, and reporting requirements as provided in this subpart and in subparts F and G of part 75 of this chapter. For purposes of complying with such requirements, the definitions in §96.202 and in §72.2 of this chapter shall apply, and the terms "affected unit," "designated representative," and "continuous emission monitoring "designated representative," system" (or "CEMS") in part 75 of this chapter shall be deemed to refer to the terms "CAIR SO₂ unit," "CAIR designated representative," and "continuous emission monitoring system" (or "CEMS") respectively, as defined in §96.202. The owner or operator of a unit that is not a CAIR SO₂ unit but that is monitored under §75.16(b)(2) of this chapter shall comply with the same monitoring, recordkeeping, and reporting requirements as a CAIR SO₂ unit.

- (a) Requirements for installation, certification, and data accounting. The owner or operator of each CAIR SO_2 unit shall:
- (1) Install all monitoring systems required under this subpart for monitoring SO_2 mass emissions and indi-

- vidual unit heat input (including all systems required to monitor SO₂ concentration, stack gas moisture content, stack gas flow rate, CO₂ or O₂ concentration, and fuel flow rate, as applicable, in accordance with §§75.11 and 75.16 of this chapter);
- (2) Successfully complete all certification tests required under §96.271 and meet all other requirements of this subpart and part 75 of this chapter applicable to the monitoring systems under paragraph (a)(1) of this section; and
- (3) Record, report, and quality-assure the data from the monitoring systems under paragraph (a)(1) of this section.
- (b) Compliance deadlines. Except as provided in paragraph (e) of this section, the owner or operator shall meet the monitoring system certification and other requirements of paragraphs (a)(1) and (2) of this section on or before the following dates. The owner or operator shall record, report, and quality-assure the data from the monitoring systems under paragraph (a)(1) of this section on and after the following dates.
- (1) For the owner or operator of a CAIR SO_2 unit that commences commercial operation before July 1, 2008, by January 1, 2009.
- (2) For the owner or operator of a CAIR SO_2 unit that commences commercial operation on or after July 1, 2008, by the later of the following dates:
 - (i) January 1, 2009; or
- (ii) 90 unit operating days or 180 calendar days, whichever occurs first, after the date on which the unit commences commercial operation.
- (3) For the owner or operator of a CAIR SO_2 unit for which construction of a new stack or flue or installation of add-on SO_2 emission controls is completed after the applicable deadline under paragraph (b)(1), (2), (4), or (5) of this section, by 90 unit operating days or 180 calendar days, whichever occurs first, after the date on which emissions first exit to the atmosphere through the new stack or flue or add-on SO_2 emissions controls.
- (4) Notwithstanding the dates in paragraphs (b)(1) and (2) of this section, for the owner or operator of a unit for which a CAIR opt-in permit application